

V1.0_19B28

EX200 - EX201

300Mbps Wireless N Range Extender



RJ45 Port



300Mbps



Fast Connect



Antennas 4dBi

SELLING POINTS

Fast wireless transmission speed

With wireless N speed up to 300Mbps, EX200/ EX201 promises to give users the best network experience.



Quick and easy network connection with the WPS button

With the handy WPS button located right on the front of the product, users can now connect EX200 / EX201 to the main network easily just by Press the WPS button on the product and the main router.



SELLING POINTS

Useful RJ45 port

Built-in RJ45 port, enabling users to provide network via Ethernet cable for devices such as Televisions, laptops, desktops, printers, etc.

- Apply for EX200



External antenna 4dBi

With 2 external antennas that benefit up to 4dBi, it helps the product to receive signals from the main Wi-Fi signal and provides a stable wireless connection for devices connected to it.



SPECIFICATIONS

Hardware	
Interface	- 1* 10/100BaseTX (Auto MDI/MDIX) RJ45 (Apply for EX200)
Power Supply	- AC 100V ~ 240V
Antennas	- 2* 4dBi fixed Antennas
Button	- 1* WPS - 1* RST
LEDs	- 1* System - 1* Extend
Wireless	
Standards	- IEEE 802.11n, IEEE 802.11g, IEEE 802.11b
RF Frequency	- 2.4000 ~ 2.4835GHz
Data Rate	- 2.4GHz: Up to 300Mbps
EIRP	< 20dBm
Encryptions	- 64/128-bit WEP, WPA/WPA2 (TKIP/ AES)
Reception Sensitivity	- 11b 11M: -81dBm - 11g 54M: -68dBm - 11g HT20: -65dBm HT40: -62dBm
Others	
Package Content	- 1* Wireless N Range Extender EX200 or EX201 - 1* Quick Installation Guide
Environment	- Operating Temperature: 0°C~40 °C (32 °F ~104°F) - Storage Temperature: -40°C~70 °C (-40 °F ~158°F) - Operating Humidity: 10%~90% non-condensing - Storage Humidity: 5%~90% non-condensing